

# Environmental Protection

(29 April 1999)

## Suggested environmental requirements for both the Statement of Work and System Specification

The environmental requirements listed below should be applicable to most if not all STRICOM programs. If your program has environmental concerns not addressed here, or you have any questions, please contact Greg Murphy.

Download suggested environmental requirements for both the Statement of Work & System Specification

### **A. Statement of Work**

Section 1 pertains to the system development and Section 2 pertains to contractor on-site support. If you are contracting only for developmental work, then Section 1 is applicable. If you are contracting for both developmental work and on-site support (e.g., transition period on-site support), both sections are applicable. Finally, if you are contracting only for on-site support (e.g. Life Cycle Support), then Section 2 is applicable.

#### **Section 1 (System Development)**

1. You shall identify all materials used in the construction of the system that will qualify as either (1) a characteristic hazardous waste (40 CFR Part 261 Subpart C), or (2) a listed hazardous waste (40 CFR Part 261, Subpart D) upon disposal. You shall also identify the purpose of any qualifying materials.
2. You shall identify all materials to be used in the operation and maintenance of the system that will qualify as either a (1) characteristic hazardous waste or (2) a listed hazardous waste upon disposal. You shall identify the purpose of each qualifying material.

Notes:

(1) Hazardous wastes can include consumables such as solvents, adhesives, cleaners, batteries, etc., as well as system components.

(2) CFR = Code of Federal Regulations

#### **Section 2 (On-site Support)**

1. You shall establish a hazardous communication program in accordance with 29 CFR 1910.1200.
2. You shall not use any Class I or Class II Ozone Depleting Substances (40 CFR 82, Subpart A, Appendix A)

STRICOM Environmental Homepage:

<http://www.stricom.army.mil/STRICOM/E-DIR/EO/environ.html>

3. You shall:

a. Report immediately spills or releases of petroleum, hazardous substances, or hazardous waste to the Installation Commander.

b. Report all instances of non-compliance to the Installation Commander within 24 hours.

c. Appoint and train (an) environmental compliance officer(s) to ensure operational compliance and coordination with installation environmental staff.

**B. System Specification**

System Specification contains only one statement prohibiting the contractor from using certain Ozone Depleting Substances. This is a Department of Defense level requirement.

1. The system shall not require the use of Class 1 or Class 2 Ozone Depleting Substances (40 CFR 82, Subpart A, Appendix A)

STRICOM Environmental Homepage:  
<http://www.stricom.army.mil/STRICOM/E-DIR/EO/environ.html>